



MALMET (AUSTRALIA) PTY LTD

Infection Control Solutions &  
Specialised Hospital Equipment



WaterMark  
ATS 5200.104  
License No.  
WMKA 21156





Malmet (Australia) Pty Ltd is a privately owned and operated Australian family business belonging to the Celi Group of Companies.

Malmet is a leading manufacturer of Infection Control Solutions and Specialised Hospital Equipment and Aged Care Equipment for CSSD, Recovery, Obstetrics, Theatre and Ward Utility Rooms.










Malmet has been manufacturing hospital and aged care equipment since 1969, and supplies hospitals and nursing homes throughout Australia and the International market through a comprehensive network of distributors and agents.

All Malmet products are manufactured at the Malmet Leeton, NSW site which is AS/NZS ISO 9001 and ISO 13485 Certified.





## Contents

	Malmet ES-D Series Bedpan/Urinal Bottle Washer Disinfector .....	Page 4
	Malmet WDS Series Bedpan/Urinal Bottle and Utensil/Bowl Washer Disinfector .....	Page 5
	Malmet WDT Series Utensil/Bowl Washer Disinfector, Top Loading .....	Page 6
	Malmet Storage and Drying Rack .....	Page 7
	Malmet Blanket Warming Cabinet Malmet Fluid Warming Cabinet .....	Page 8
	Malmet Blanket and/or Fluid Warming Cabinet .....	Page 9
	Malmet Tall Warming Cabinet .....	Page 10
	Malmet Instrument & Anaesthetic Apparatus Drying Cabinet .....	Page 11
	Service .....	Page 12



## Malmart Bedpan/Urinal Bottle Washer Disinfecter

Malmart ES-D Bedpan/Urinal Bottle Washer Disinfecter range is the most efficient and effective method of washing and disinfecting bedpans and urinal bottles. Independently micro-tested, Malmart ES-D machines are proven to inactivate organisms (bacteria and viruses) generally found in bedpans and bottles.

The detergent wash ensures that faeces etc are properly removed before the final steam disinfection, ensuring efficacy to the highest relevant Australian and ISO standards. Also, designed with the environment in mind, the ES-D range of products has one of the lowest energy usage rates in the industry.

- Low water and power consumption
- Large capacity: 1 bedpan and 2 urinal bottles per cycle
- Standard universal rack will also accept bariatric slipper pan
- Detergent cycle
- Infection Control: Microbiologically tested by an independent NATA certified laboratory
- Hands-free operation to minimise infection control risk
- Simple controls, easy to operate
- Steam disinfection with inbuilt boiler – no external hot water supply required
- Disinfection to higher Ao600 level as recommended by AS4187:2014/ISO15883
- No venting required
- Available in 240V 10A and 240V 20A
- Compliant to relevant electrical safety, Watermark standards
- ARTG Certification 232012 to industry highest Class 11b level
- Malmart Door Obstruction Feature - This is factory set to 12Nm  $\pm$ 10%; causing the door to re-open when an obstruction is detected.

This is designed to protect the integrity of the machine and the articles within.



ES-D

<b>Dimensions:</b>	595mm W x 660mm D x 1305mmH
<b>Voltage:</b>	240V, 10 or 20 Amps
<b>Phase:</b>	Single
<b>Hertz:</b>	50
<b>Shipping Weight:</b>	110kg
<b>Capacity:</b>	1 x bedpan & lid & 2 urinal bottles OR 1 x commode bowl & lid & 2 urinal bottles OR 1 x small or bariatric slipper pan & lid & 2 urinal bottles
<b>Detergent Bottle Capacity:</b>	5 Litre Product Code #81-9071SP (Detergent ARTG Certification 190013)
<b>Detergent dispensed per application:</b>	30ml
<b>Detergent specifications/grade:</b>	Poisons Schedule: 6 Dangerous Goods Class: 8, Hazchem Code: 2R

Models Available:

Product Code	Model No	Description	Average Cycle Times	Power Consumption	Water Consumption Cold Water Only
91-1002	ES915S-D	MALMET BEDPAN/URINAL BOTTLE WASHER DISINFECTOR (S TRAP, 1 PHASE, 20 AMP)	5.30 min	0.300kwh	36 litres
91-1007	ES915P-D	MALMET BEDPAN/URINAL BOTTLE WASHER DISINFECTOR (P TRAP, 1 PHASE, 20 AMP)	5.30 min	0.300kwh	36 litres
91-1022	ES935S-D	MALMET BEDPAN/URINAL BOTTLE WASHER DISINFECTOR (S TRAP, 1 PHASE, 10 AMP)	7.50 min	0.236kwh	35 litres
91-1027	ES935P-D	MALMET BEDPAN/URINAL BOTTLE WASHER DISINFECTOR (P TRAP, 1 PHASE, 10 AMP)	7.50 min	0.236kwh	35 litres



# Malmet Bedpan/Urinal Bottle and Utensil/Bowl Washer Disinfecter

The WDS combines the performance, capability and proven reliability of Malmet's ES-D Bedpan/Urinal Bottle Washer Disinfecter and WDT Utensil/Bowl Washer Disinfecter into effectively one machine. This offers great space and cost savings for your facility. Being locally made, the availability of spare parts and servicing is a simple and quick process. Malmet WDS has been micro-biologically tested to verify that the machine effectively inactivates organisms (bacteria and viruses) as required under the relevant Australian and ISO standards.

- Only combination washer disinfecter designed and made in Australia
- Large capacity: 2 bedpans and 4 urinal bottles, or up to 4 bowls, or up to 6 kidney dishes (with optional rack), various utensils etc
- Infection control: Microbiologically tested by an independent NATA certified laboratory
- Hands-free operation to minimise infection control risk
- Sensors to minimise risk of incorrect program being selected
- Simple operation: 3 programs, with clear graphics (bedpans/urinal bottles, urinal bottles only, or utensils/bowls)
- All programs fully disinfect
- Detergent wash cycle
- Steam disinfection with inbuilt boiler
- Disinfection to higher Ao600 level, as recommended by AS4187:2014/ISO15883
- No venting required
- Available in 415V 20A or 240V 20A
- Compliant to relevant electrical safety, Watermark standards
- ARTG Certification 232450 to industry highest Class 11b level
- The door obstruction feature is factory set; causing the door to re-open when an obstruction is detected. This is designed to protect the integrity of the unit and the articles within.



WDS


<b>Dimensions:</b>	605mm W x 625mm D x 1700mmH
<b>Voltage:</b>	240V or 415V
<b>Phase:</b>	1 phase or 3 phase
<b>Hertz:</b>	50
<b>Shipping Weight:</b>	160kg
<b>Capacity:</b>	2 bedpans and 4 urinal bottles OR 2 small or 2 bariatric slipper pans and 4 urinal bottles OR 2 large bowls OR 3 medium bowls OR 4 small bowls OR Any combination of utensils (tooth mugs, kidney dishes etc)
<b>Detergent Bottle Capacity:</b>	5 Litre Product Code #81-9071SP (Detergent ARTG Certification 190013)
<b>Detergent dispensed per application:</b>	30ml
<b>Detergent specifications/grade:</b>	Poisons Schedule: 6 Dangerous Goods Class: 8, Hazchem Code: 2R
<b>Accessories:</b>	Utensil Basket for small items, Kidney Dish Rack



Bowl rack included, will hold 2-4 bowls



Optional Kidney rack, will hold up to 6 dishes



Optional basket for smaller items

Models Available:

Product Code	Model No	Description
92-1000	WDS1S	MALMET BEDPAN/URINAL BOTTLE AND UTENSIL/BOWL WASHER DISINFECTOR (S TRAP, 1 PHASE, 20 AMP)
92-1001	WDS1P	MALMET BEDPAN/URINAL BOTTLE AND UTENSIL/BOWL WASHER DISINFECTOR (P TRAP, 1 PHASE, 20 AMP)
92-1010	WDS3S	MALMET BEDPAN/URINAL BOTTLE AND UTENSIL/BOWL WASHER DISINFECTOR (S TRAP, 3 PHASE, 20 AMP)
92-1011	WDS3P	MALMET BEDPAN/URINAL BOTTLE AND UTENSIL/BOWL WASHER DISINFECTOR (P TRAP, 3 PHASE, 20 AMP)



## Malmet Utensil/Bowl Washer Disinfector, Top Loading

Malmet's Washer Disinfectors are purpose-built washer disinfectors, and are indeed engineered to last a lifetime. The machines are user-friendly and simple to operate, with their single button operation. Ergonomically designed, instruments and bowls are easy to reach even with its large capacity tank.


- Top loading, heavy duty, purpose built utensil washer
- User friendly single button start
- Door interlock safety mechanism
- Large capacity
- Used for kidney dishes, sputum bowls, tooth mugs, etc
- Disinfection to higher Ao600 level, as recommended by AS4187:2014
- Compliant to relevant electrical safety, Watermark standards
- ARTG Certification 232013 to industry-highest Class 11b level



WDT2



<b>Dimensions:</b>	655mm W x 850mm D x 1030mm H (Dimensions are with lid closed)
<b>Voltage:</b>	240V, 18 Amps
<b>Phase:</b>	Single
<b>Hertz:</b>	50
<b>Shipping Weight:</b>	138kg
<b>Capacity:</b>	6 large wash basins or a varied load of smaller items, e.g.: kidney dishes, sputum bowls, tooth mugs, etc. (Special Instrument baskets are an optional extra)
<b>Detergent Bottle Capacity:</b>	5 Litre Product Code #81-9071SP (Detergent ARTG Certification 190013)
<b>Detergent dispensed per application:</b>	65ml per cycle
<b>Detergent specifications/grade:</b>	Poisons Schedule: 6, Dangerous Goods Class: 8, Hazchem Code: 2R
<b>Accessories:</b>	Instrument basket assembly Rectangular basket assembly Kidney Dish Racks



Models Available:

Product Code	Model No	Description
8-A00-81-021	WDT2.1	MALMET UTENSIL/BOWL WASHER DISINFECTOR TOP LOADING (1 PHASE, 18 AMP)



## Malmet Bedpan and Urinal Storage and Drying Racks

Malmet manufacture a comprehensive range of high quality stainless steel racks for the drying and storage of bedpans, basins and urinal bottles.

- Spike-free design for user safety
- Racks are wall-mounted for maximum space optimization
- Stainless steel construction, built to endure tough working conditions
- Capacity of 4, 6 or 8 bedpans or urinal bottles
- Combination racks are also available
- Drip tray standard
- ARTG Certification 188761 Class 1

Models Available:



### Bedpan and Basin Racks

Product Code	Model No	Description	Size (mm)		
			Width	Height	Depth
8-M00-80-231	PR4WT	MALMET RACK (FOR 4 BEDPANS WITH WALL PLATE AND DRIP TRAY)	630	437	300
8-M00-80-233	PR6WT	MALMET RACK (FOR 6 BEDPANS WITH WALL PLATE AND DRIP TRAY)	790	437	300
8-M00-80-234	PR8WT	MALMET RACK (FOR 8 BEDPANS WITH WALL PLATE AND DRIP TRAY)	1,043	437	300

### Urinal Bottle Racks

Product Code	Model No	Description	Size (mm)		
			Width	Height	Depth
8-M00-80-131	BR4WT	MALMET RACK (FOR 4 URINAL BOTTLES WITH WALL PLATE AND DRIP TRAY)	630	209	115
8-M00-80-133	BR6WT	MALMET RACK (FOR 6 URINAL BOTTLES WITH WALL PLATE AND DRIP TRAY)	790	209	115
8-M00-80-134	BR8WT	MALMET RACK (FOR 8 URINAL BOTTLES WITH WALL PLATE AND DRIP TRAY)	1,043	209	115

### Bowl & Basin Rack

Product Code	Model No	Description	Size (mm)		
			Width	Height	Depth
200-1300	WB2WT	MALMET 2 TIER RACK (FOR WASH BOWLS WITH WALL PLATE AND DRIP TRAY)	722	342	320

### Combination Racks

Product Code	Model No	Description	Size (mm)		
			Width	Height	Depth
8-M00-80-321	BR4-PR4 + WT	MALMET RACK (FOR 4 BEDPANS AND 4 URINAL BOTTLES WITH WALL PLATE AND DRIP TRAY)	630	645	300
8-M00-80-323	BR6-PR6 + WT	MALMET RACK (FOR 6 BEDPANS AND 6 URINAL BOTTLES WITH WALL PLATE AND DRIP TRAY)	790	645	300
8-M00-80-324	BR8-PR8 + WT	MALMET RACK (FOR 8 BEDPANS AND 8 URINAL BOTTLES WITH WALL PLATE AND DRIP TRAY)	1,043	645	300



## Malmet Blanket Warming Cabinet

Reduce the risk of hypothermic reaction, post-operative discomfort and stress in patients. Blankets are gently heated to restore body temperature post surgery, and assist thermo-regulation. Blanket warming cabinets are recommended for Recovery, Maternity, General Ward, Specialist and Intensive Care Units.

<b>Dimensions:</b>	908mm H x 850mm W x 577mm D
<b>Voltage:</b>	240V, 2.8 Amps
<b>Phase:</b>	Single
<b>Hertz:</b>	50
<b>Capacity</b>	Up to 18 Blankets
<b>Volume</b>	260 litres
<b>Set Temperature</b>	60°C
<b>Max temp setting:</b>	60°C
<b>Power consumption:</b>	7.8kW 24 hr
<b>Cabinet Stand:</b>	615mm H x 850mm W x 526mm D
<b>Floor bench skirt</b>	80mm H x 850mm W x 526mm D

ARTG Certification 289497 Class 1



BWS

## Malmet Fluid Warming Cabinet

The only safe and accurate method of determining and maintaining saline, irrigation, glycine, parenteral and IPD fluid temperature to the manufacturer's recommendations. Fluid warming cabinets are essential in Maternity, Recovery, Theatre, Specialist and Intensive Care units.

<b>Dimensions:</b>	908mm H x 850mm W x 577mm D
<b>Voltage:</b>	240V, 2.8 Amps
<b>Phase:</b>	Single
<b>Hertz:</b>	50
<b>Capacity</b>	60 x 1 litre bags of fluid (or equivalent)
<b>Volume</b>	260 litres
<b>Set Temperature</b>	37°C
<b>Max temp setting:</b>	50°C
<b>Power consumption:</b>	7.8kW 24 hr
<b>Cabinet Stand:</b>	615mm H x 850mm W x 526mm D
<b>Floor bench skirt</b>	80mm H x 850mm W x 526mm D

ARTG Certification 188762 Class 1



FWFB





# Malmet Blanket and/or Fluid Warming Cabinets

- Stainless steel construction with insulation cavity, therefore the exterior is cool to touch
- Double glazed doors for inventory monitoring
- Magnetic door closure
- Adjustable shelving: 1 litre and 2 litre bottles and bags can be stored
- Special sensor plate for actual fluid temperature monitoring
- Capacity for up to 36 blankets or 120 x 1 litre bags of fluid (or equivalent)
- Volume - 260 litres (per cavity)
- Over temperature protection (5°C above setting) and temperature lock-out
- Fan-assisted convection heating
- Individual cabinets can be converted to combination units. Mix and match to suit any requirements
- Multi-purpose installation: Wall mounted, freestanding or with floor/bench skirt
- Castors (2 fixed, 2 swivel and lockable) optional
- Adjustable shelving:
  - Fluid: 4 wire shelves, bottom fixed
  - Blanket: 3 wire shelves

Models Available:

## Blanket Models (ARTG Cert #289497)

Product Code	Model No	Description
8-A00-83-100	BWM	MALMET BLANKET WARMING CABINET (WALL MOUNTED)
8-A00-83-102	BWS	MALMET BLANKET WARMING CABINET (WITH STAND)
8-A00-83-104	BWFB	MALMET BLANKET WARMING CABINET (WITH FLOOR / BENCH SKIRT)
8-A00-83-106	BWFC	MALMET BLANKET WARMING CABINET (FREESTANDING WITH CASTORS)

## Fluid Models (ARTG Cert #188762)

Product Code	Model No	Description
8-A00-84-100	FWM	MALMET FLUID WARMING CABINET (WALL MOUNTED)
8-A00-84-102	FWS	MALMET FLUID WARMING CABINET (WITH STAND)
8-A00-84-104	FWFB	MALMET FLUID WARMING CABINET (WITH FLOOR / BENCH SKIRT)
8-A00-84-106	FWFC	MALMET FLUID WARMING CABINET (FREESTANDING WITH CASTORS)

## Storage Models

Product Code	Model No	Description
8-A00-89-100	SCM	MALMET STORAGE CABINET (WALL MOUNTED)
8-A00-89-102	SCS	MALMET STORAGE CABINET (WITH STAND)
8-A00-89-104	SCFB	MALMET FLUID WARMING CABINET (WITH FLOOR / BENCH SKIRT)

## Warming Cabinets (Freestanding)

Product Code	Model No	Description
8-A00-86-101	BBWF	MALMET BLANKET / BLANKET WARMING CABINET (FREESTANDING)
8-A00-86-103	FFWF	MALMET FLUID / FLUID WARMING CABINET (FREESTANDING)
8-A00-86-105	FBWF	MALMET FLUID / BLANKET WARMING CABINET (FREESTANDING)
8-A00-86-107	BSWF	MALMET BLANKET WARMING / STORAGE CABINET (FREESTANDING)
8-A00-86-109	FSWF	MALMET FLUID WARMING / STORAGE CABINET (FREESTANDING)
8-A00-86-111	SSCF	MALMET STORAGE / STORAGE CABINET (FREESTANDING)

## Warming Cabinets (Freestanding with Castors)

Product Code	Model No	Description
8-A00-86-113	BBWFC	MALMET BLANKET / BLANKET WARMING CABINET (FREESTANDING WITH CASTORS)
8-A00-86-114	FFWFC	MALMET FLUID / FLUID WARMING CABINET (FREESTANDING WITH CASTORS)
8-A00-86-115	FBWFC	MALMET FLUID / BLANKET WARMING CABINET (FREESTANDING WITH CASTORS)
8-A00-86-116	BSWFC	MALMET BLANKET WARMING / STORAGE CABINET (FREESTANDING WITH CASTORS)
8-A00-86-117	FSWFC	MALMET FLUID WARMING / STORAGE CABINET (FREESTANDING WITH CASTORS)



FBWF



BSWF



## Malmet "Tall" Warming Cabinet

- Stainless steel construction with insulation cavity, therefore the exterior is cool to touch
- Double glazed doors for inventory monitoring
- Magnetic door closure
- Adjustable shelving: 1 litre and 2 litre bottles and bags can be stored
- Special sensor plate for actual fluid temperature monitoring
- Capacity for up to 30 blankets or 91 x 1 litre bags of fluid (or equivalent)
- Volume - 420 litres
- Over temperature protection (5°C above setting) and temperature lock-out
- Fan-assisted convection heating
- Castors (2 fixed, 2 swivel and lockable) optional
- Adjustable shelving:
  - Fluid: 7 wire shelves, bottom fixed
  - Blanket: 6 wire shelves



FWTFC

Models Available:

### Blanket Models

Product Code	Model No	Description
100-1000	BWTFB	MALMET BLANKET WARMING CABINET TALL (WITH FLOOR / BENCH SKIRT)
100-1001	BWTFC	MALMET BLANKET WARMING CABINET TALL (FREESTANDING WITH CASTORS)

ARTG Certification 289497 Class 1

### Fluid Models

Product Code	Model No	Description
100-1100	FWTFB	MALMET FLUID WARMING CABINET TALL (WITH FLOOR / BENCH SKIRT)
100-1101	FWTFC	MALMET FLUID WARMING CABINET TALL (FREESTANDING WITH CASTORS)

ARTG Certification 188762 Class 1



## Malmet Instrument & Anaesthetic Apparatus Drying Cabinet

- Handles large loads with any combination of instruments, tubes, masks and parts
- Designed to dry surgical instrument, respiratory tubing and face masks
- Connects to standard hospital power outlets
- Compact design
- Double wall stainless steel construction
- Double glazed doors
- Dual over temperature cut-out and cabinet pre-set temperature of 70°C
- Compliance to AS 2514, AS2774
- Available also as "Pass Through" Cabinets
- ARTG Certification 188763 Class 1

<b>Front load dimensions:</b>	1,750mm H x 750mm W x 640mm D
<b>Pass through dimensions:</b>	1,750mm H x 750mm W x 690mm D
<b>Power:</b>	240V 15A
<b>Shipping Weight:</b>	185 kg
<b>Accessories:</b>	Anaesthetic Bag Holder Tube Holder Rack Full Width Wire Shelf Part Width Wire Shelf

Models Available:

### Front Loading Drying Cabinet

Product Code	Model No	Description
8-A00-87-030	DC11	MALMET DRYING CABINET - FRONT LOAD (6 HALF WIDTH WIRE SHELVES; 2 RACKS OF 18 X 37MM DIA TUBE HOLDERS)
8-A00-87-035	DC11T	MALMET DRYING CABINET - FRONT LOAD (6 HALF WIDTH WIRE SHELVES; 2 RACKS OF 18 X 37MM DIA TUBE HOLDERS WITH TIMER)
8-A00-87-040	DC12	MALMET DRYING CABINET - FRONT LOAD (6 FULL WIDTH WIRE SHELVES; NO TUBE HOLDERS)
8-A00-87-045	DC12T	MALMET DRYING CABINET - FRONT LOAD (6 FULL WIDTH WIRE SHELVES; NO TUBE HOLDERS WITH TIMER)
8-A00-87-051	DC13	MALMET DRYING CABINET - FRONT LOAD (FULL HANGING; 5 RACKS OF 18 X 37MM DIA TUBE HOLDERS)
8-A00-87-055	DC13T	MALMET DRYING CABINET - FRONT LOAD (FULL HANGING; 5 RACKS OF 18 X 37MM DIA TUBE HOLDERS WITH TIMER)

### Pass Through Drying Cabinet

Product Code	Model No	Description
8-A00-87-060	DC21	MALMET DRYING CABINET - FRONT LOAD & REAR UNLOAD (6 HALF WIDTH WIRE SHELVES; 2 RACKS OF 18 X 37MM DIA TUBE HOLDERS)
8-A00-87-065	DC21T	MALMET DRYING CABINET - FRONT LOAD & REAR UNLOAD (6 HALF WIDTH WIRE SHELVES; 2 RACKS OF 18 X 37MM DIA TUBE HOLDERS WITH TIMER)
8-A00-87-070	DC22	MALMET DRYING CABINET - FRONT LOAD & REAR UNLOAD (6 FULL WIDTH WIRE SHELVES; NO TUBE HOLDERS)
8-A00-87-075	DC22T	MALMET DRYING CABINET - FRONT LOAD & REAR UNLOAD (6 FULL WIDTH WIRE SHELVES; NO TUBE HOLDERS WITH TIMER)
8-A00-87-081	DC23	MALMET DRYING CABINET - FRONT LOAD & REAR UNLOAD (FULL HANGING; 5 RACKS OF 18 X 37MM DIA TUBE HOLDERS)
8-A00-87-085	DC23T	MALMET DRYING CABINET - FRONT LOAD & REAR UNLOAD (FULL HANGING; 5 RACKS OF 18 X 37MM DIA TUBE HOLDERS WITH TIMER)



DC11



# SERVICE DIVISION

## Robust technology, easy to service, local spare parts

One of the cornerstones underpinning Malmet is our commitment to excellence in customer service. At all levels of our company - from the production floor to our sales and management staff - integrity and professionalism mark the way we do business.

Malmet Service manage the service for the Malmet brand of hospital equipment. All Malmet Service Technicians are comprehensively factory trained offering a professional and competitive service.

Urgent service/breakdown requests are attended to within a 24 hour period.

Malmet prides itself on achieving outstanding customer service satisfaction, obtaining 9/10 and higher on all Customer Service Quality Audits.

Malmet have their own service technicians to cover most of NSW/ACT, with authorised service agents for other areas. Interstate, Malmet have fully trained authorised service agents to cover most of Australia.

## Preventative Maintenance Agreements and Validation Testing and Certification

With the changes to the Healthcare Industry accreditation process more facilities are required to show that all equipment is maintained according to the manufacturers recommendations. Malmet recognises this need and are pleased to offer Preventative Maintenance Agreements (PMA) for all Malmet products, and Validation Testing and Certification in accordance with AS4187:2014 and ISO15883 PMA's take into consideration the quality, age and usage of the products to give the most suitable scheduled competitive agreement tailored to the facilities requirements. Malmet or its authorised service agents can offer a competitive, professional PMA tailored to your organisation.



## National Head Office & Customer Service

### For Correspondence:

PO Box 373  
Leeton, NSW 2705  
Australia

### General Sales, Service, Export Enquiries & Accounts

Ph. +61 2 6953 7677  
Email: [info@malmet.com.au](mailto:info@malmet.com.au)



### Warning:

This brochure contains general information only. If you require accurate dimensions or any other details which may affect your installation, please contact Malmet. E.&O.E. In the interest of continued product improvement, Malmet reserves the right to alter design and product specifications without notice. E.&O.E. For further information on warranty terms and conditions, please refer to Malmet's Warranty Statement.

MEDICAL RECEPTACLES SHOWN IN ALL PHOTOS ARE NOT INCLUDED WITH UNITS.