

extreme lighting | no boundaries

(SURVIVOR)

robust lighting redefined

our purpose

exclusive focus on design and production of high quality robust luminaires which are best in class for impact resistance, ingress protection and tamper resistance

luminaire design

- ik10+ impact resistance - 4mm polycarbonate diffuser and heavy gauge aluminium body
- ip66 ingress protection - hermetically sealed light modules
- at10+ tamper resistance - individually tooled security fasteners
- 700 | 1000 | 1200 | 1500 | 1800 | 2100 | 2400 lengths or continuous plug n play systems

impact resistance

| | highly robust | | | impregnable | |
|--------------|---------------|---|---|-------------|---|
| SV0.5 | ● | ● | ● | ● | ○ |
| SV1.0.eco | ● | ● | ● | ○ | ○ |
| SV1.0 | ● | ● | ● | ● | ○ |
| correctional | ● | ● | ● | ● | ● |

applications

| | SV0.5 | SV1.0.eco | SV1.0 | correctional |
|----------------|-------|-----------|-------|--------------|
| correctional | | | | ● |
| transportation | ● | ● | ● | |
| mental health | | | ● | ● |
| public access | ● | ● | ● | |
| urban | ● | ● | ● | |

(SURVIVOR)



impact resistant




ingress protected



tamper resistant



led





IK10+



IP66




AT06




LED


SV0.5




naked
75 x 95



surface /
suspended
72 x 98



recessed
96 x 102



semi recessed
96 x 140



IK10



IP66




AT06




LED


SV1.0.eco




naked
120 x 119




surface /
suspended
113 x 98




recessed
138 x 103



semi recessed
138 x 130



cornice
213 x 100



segregated
113 x 147



extreme lighting | no boundaries



IK10+



IP66




AT06




LED


SV1.0




naked
120 x 119




surface /
suspended
113 x 98




recessed
138 x 103



semi recessed
138 x 130



cornice
213 x 100



segregated
113 x 147



IK10+



IP66




AT10+




LED


correctional




recessed
176 x 106



surface
115 x 100




recessed slim
134 x 103




surface slim
74 x 100


in development...




trimless recessed
correctional



SV0.5 box



SV0.5 slot



light pipe

Survivor Lighting Pty Ltd

3/10 Grieve Road West Gosford NSW 2250 | +61 2 9191 9800 | info@survivorlighting.com