

ZINTL®



PREMIUM SNAP-IN
ALUMINIUM BATTEN SYSTEM

ZINTL® BATTEN SYSTEM



Applications

ZINTL® Batten is a versatile architectural facade system suitable for use in residential, commercial, industrial, education, sporting and health care projects.

Whether horizontally or vertically aligned, with its clean lines and contemporary look, ZINTL® Batten will bring a sophisticated and aesthetic impression to any architectural environment.

ZINTL® Batten comes in two different widths, 25mm and 50mm, as well as a selection of various height options to choose from.

ZINTL® Batten uses a simple 'snap in' locking system to aid the installation. Simply mount the batten inner then firmly snap on the batten outer until a 'click' is heard.

Materials

ZINTL® Batten architectural battens are extruded from 6063-T6 premium grade aluminium alloy. High corrosion resistance and weatherability, perfect for commercial applications. Standard Stock Length: 6.5 metres

Creativity

With a wide range of Wood Grain and Powder Coating finishes and varying size options available, ZINTL® Batten allows specifiers to realise their creative vision and bring their designs to life.

In the past such freedom could only be achieved with apprehension, resulting in inconsistency due to the nature of custom manufacturing.


With ZINTL® Batten's standard sizes and modularity, it allows HVG Facades to supply an accurate and consistent architectural batten system.

Installation

Installers must consult with their Architect, Engineer or Building Designer to ensure that their specific installation will be suitable and compliant with all local building regulations and requirements.

This is essential due to the various installation methods by which the ZINTL® Batten Systems can be applied, and the various requirements for each building type and location. HVG Facades will not be responsible nor liable for any design or installation that does not comply with all local building code regulations or specified engineering requirements.

ZINTL® BATTEN ASSEMBLY



*50mm x 200mm Batten System displayed for illustrative purposes - batten outer illustrated is indicative option only.

ZINTL® BATTEN 50mm EXTRUSION PROFILES

	Size			
	50mm x 50mm	50mm x 100mm	50mm x 150mm	50mm x 200mm
Batten Outer	ZCOUTER50/50	ZCOUTER50/100	ZCOUTER50/150	ZCOUTER50/200
Batten End Cap	ZCENDCAP50/50	ZCENDCAP50/100	ZCENDCAP50/150	ZCENDCAP50/200
Batten Inner Clip	ZCINNER50			
	CAP SCREWS – 8g x 20mm CSK ST/ST SelfTapping Screws			
Batten Mitre Corner Spigot	ZCMITRE50			




BATTEN OUTER



BATTEN OUTER
50mm x 50mm
ZCOUTER50/50

END CAP
50mm x 50mm
ZCENDCAP50/50



BATTEN OUTER
50mm x 100mm
ZCOUTER50/100

END CAP
50mm x 100mm
ZCENDCAP50/100



BATTEN OUTER
50mm x 150mm
ZCOUTER50/150

END CAP
50mm x 150mm
ZCENDCAP50/150




BATTEN OUTER
50mm x 200mm
ZCOUTER50/200

END CAP
50mm x 200mm
ZCENDCAP50/200

INNER CLIP MITRE CORNER




BATTEN INNER CLIP
50mm x 50mm
ZCINNER50




MITRE CORNER SPIGOT
50mm
ZCMITRE50

BATTEN OUTER & INNER CLIP ASSEMBLY


ZINTL® Batten uses a simple 'snap in' locking system to aid in installation. Simply mount the batten inner then snap on the batten outer until a 'click' is heard.




BATTEN OUTER
50mm x 50mm
ZCOUTER50/50




BATTEN OUTER
50mm x 100mm
ZCOUTER50/100



BATTEN OUTER
50mm x 150mm
ZCOUTER50/150



BATTEN OUTER
50mm x 200mm
ZCOUTER50/200



**BATTEN
INNER CLIP**
50mm x 50mm
ZCINNER50

ZINTL® BATTEN 25mm EXTRUSION PROFILES

	Size			
	25mm x 50mm	25mm x 75mm	25mm x 100mm	25mm x 150mm
Batten Outer	ZCOUTER25/50	ZCOUTER25/75	ZCOUTER25/100	ZCOUTER25/150
Batten End Cap	ZCENDCAP25/50	ZCENDCAP25/75	ZCENDCAP25/100	ZCENDCAP25/150
Batten Inner Clip	ZCINNER25			
	CAP SCREWS – 8g x 20mm CSK ST/ST SelfTapping Screws			



BATTEN OUTER




BATTEN OUTER
25mm x 50mm
ZCOUTER25/50

END CAP
25mm x 50mm
ZCENDCAP25/50



BATTEN OUTER
25mm x 75mm
ZCOUTER25/75

END CAP
25mm x 75mm
ZCENDCAP25/75



BATTEN OUTER
25mm x 100mm
ZCOUTER25/100


END CAP
25mm x 100mm
ZCENDCAP25/100



BATTEN OUTER
25mm x 150mm
ZCOUTER25/150

END CAP
25mm x 150mm
ZCENDCAP25/150

INNER CLIP



BATTEN INNER CLIP
25mm x 25mm
ZCINNER25

BATTEN OUTER & INNER CLIP ASSEMBLY

ZINTL® Batten uses a simple 'snap in' locking system to aid in installation. Simply mount the batten inner then snap on the batten outer until a 'click' is heard.



BATTEN OUTER
25mm x 50mm
ZCOUTER25/50



BATTEN OUTER
25mm x 75mm
ZCOUTER25/75



BATTEN OUTER
25mm x 100mm
ZCOUTER25/100



BATTEN OUTER
25mm x 150mm
ZCOUTER25/150



BATTEN INNER CLIP
25mm x 25mm
ZCINNER25

ZINTL®

PREMIUM SNAP-IN
ALUMINIUM BATTEN SYSTEM



By **HVG** façades

hvgfacades.com.au | 1300 881 712

SYDNEY
29 Henderson Street
Turrella NSW 2205

MELBOURNE
25 West Park Drive
Derrimut VIC 3026

BRISBANE
128 Mica Street
Carole Park QLD 4300

PERTH
72 Bushland Ridge
Bibra Lake WA 6163

ADELAIDE
57 Barnes Avenue
Marleston SA 5033