


The Resilmount family of products...



Global Network




STUDCO AUSTRALIA PTY LTD
TEL: 1300 255 255
www.resilmount.com.au
sales@resilmount.com

RES_SISAUS_080319



SOUND ISOLATION SOLUTIONS







Sound isolation specialists Studco Australia are proud to showcase our range of patented sound isolation products – Resilmount – Australia’s most affordable solution for guaranteed performance in acoustic walls and ceilings.

UNIQUE PATENTED THERMOPLASTIC RUBBER WITH SOUND CELL DESIGN

Acoustic control for airborne sound has become a major issue for architects and interior designers for high density apartment living. Resilmount’s range of resilient mounts suit standard furring channels for effective noise control. Resulting in ease of construction for contractors who only have to replace standard fasteners with Resilmount’s resilient mount clips. Resilient mount clips are the most effective acoustic control system as they isolate the system, from the building structure.



Patents pending:
US 11/872574
AU 2007226819

WALL AND CEILING SOUND ISOLATION SOLUTIONS YOU CAN TRUST GLOBALLY

SOUND TESTING

Resilmount’s sound isolation mounts have been tested in order to meet the required acoustic performance. A range of testing and acoustic opinions are available upon request, please contact sales@resilmount.com.au for further information.



QUALITY ASSURANCE AND ENVIRONMENTAL POLICY



ISO9001 Quality Management System

The quest for optimum quality never ends at Studco. The consistency of our quality is one of the cornerstones of Studco’s reputation as a reliable supplier of metal building systems. In order to achieve dependable quality in our products and service, Studco Building Systems is certified to ISO9001 Quality Management System. This internationally recognized benchmark of quality is rigidly applied to all facets of our operations, ensuring premium quality products and premium customer service at all times. Customers can be certain of the quality of Studco’s products because of the stringent controls we impose on our production processes.



ISO14001 EMS Certification




The management team at Studco have long held the view that caring for the environment is a corporate responsibility. In fact, responsibility of and caring for the environment in which we live is a Studco hallmark which is promoted at every level of our business. Our commitment to sensible environmental responsibility and corporate accountability is evident in our ongoing certification to the internationally recognised benchmark standard ISO14001:2004 environmental management system.

M237R

Direct Fix Furring Channel Resilient Mount

Part No#	Description
M237R	Furring Channel Resilient Mount - Direct Fixing

Resilmount M237R can be used in wall and ceiling applications with Studco M308 16mm furring channel and M29 28mm furring channel.






M237TR

Furring Channel To Top Cross Rail Resilient Mount

Part No#	Description
M237TR	Furring Channel to Top Cross Rail Resilient Mount

Resilmount M237TR can be used in ceiling applications to isolate airborne sound. Use this mount as the isolated coupling between the Studco M27 25mm Top Cross Rail and the Studco M29 28mm furring channel.






MBFR

Adjustable Direct Fix Furring Channel Resilient Mount

Part No#	Description
MBFR	Adjustable Direct Fix Furring Channel Resilient Mount

Resilmount MBFR can be used in wall applications with Studco M308 16mm furring channel and M29 28mm furring channel. MBFR6, with 6.5mm Trubolt stud anchor, is also available.






M24R

Resilient Joiner Bracket

Part No#	Description
M24R	Resilient Joiner Bracket #

Resilmount M24R is supplied totally assembled, with a variety of holes sizes for different fasteners depending on the installation environment.






Lead times and minimum quantities may apply

M48R

Resilient Mount Right Angle Bracket

Part No#	Description
M48R	Resilient Mount Right Angle Bracket #

Resilmount M48R is provided with several 5mm slotted holes in bracket fixing surface, suitable for direct fixing or inserting suspension rod for suspended ceiling systems.





M96R

Furring Channel to Purlin Resilient Mount

Part No#	Description
M96R	Furring Channel to Purlin Resilient Mount #

Resilmount M96R can be fixed directly to trusses and purlins providing adjustability. Provided with a variety of holes for different fasteners.






M239R

Resilient Adjustable Direct Fix Clip

Part No#	Description
M239R	Resilmount Adjustable Direct Fix Clip - 85mm, 120mm, 150mm #

Fully adjustable furring channel clip that has sound isolation fixing.






M324R

Slimceil Resilient Mounts

Part No#	Description
M324R	Resilmount Slimceil Bracket

SLIMCEIL
LOW CLEARANCE CEILING SYSTEMS



Lead times and minimum quantities may apply




M319R

Slimceil Static Deflection Ceiling Bracket

Part No#	Description
M319R	Resilmount Static Deflection Ceiling Bracket

Meets static deflection criteria and utilised within the Slimceil Ceiling System.

SLIMCEIL
LOW CLEARANCE CEILING SYSTEMS





M326R

Resilmount Direct Fix Hanger

Part No#	Description
M326R	Resilmount Direct Fix Hanger #

High performance resilient ceiling hanger that meets the static deflection code.






M481R

Static Deflection Wall Brace

Part No#	Description
M481R-RED	M481R isolated wall brace – RED 62kg
M481R-PUR	M481R isolated wall brace – PURPLE 105kg

For providing a structural tie between two walls and for supporting horizontal loads, the Resilmount M481R isolated wall brace is unsurpassed in performance, amenity and value.






M482R

Static Deflection Wall Brace

Part No#	Description
M482R-RED	M482R isolated wall brace – RED 62kg
M482R-PUR	M482R isolated wall brace – PURPLE 105kg

For providing a structural tie between two walls and for supporting horizontal loads, the Resilmount M482R isolated wall brace is unsurpassed in performance, amenity and value.





M581

Resilient Channel

Part No#	Description
M581	Resilmount Resilient Channel

Efficient low-cost method developed to reduce transmission of airborne noise.






MQST

Acoustic Stud System

Part No#	Description
Resilwall	Acoustic Stud System

Resilwall acoustic stud system is a unique, engineered metal profile that has been proven to greatly improve the sound isolation performance of internal lined walls.




Lead times and minimum quantities may apply

M50R

Resilient Isolation Hanger

Part No#	Description
M50R-BLK	Isolation Hanger BLACK - 54KG
M50R-BLU	Isolation Hanger BLUE - 91KG
M50R-RED	Isolation Hanger RED - 29KG

Resilmount M50R is a suspended ceiling isolation mount that can be loaded to 50kg with a static deflection of 5mm. Top and bottom hangers suit 5 mm rod for suspended ceiling applications.





RM07

Rubber Impact Mats

Part No#	Description
RM07	Rubber Impact Mats 40mm x 40mm <i>Other sizes available on request</i>

The RM07 is an impact mat used to provide isolation fixing between a steel framing product and a building structure.



Lead times and minimum quantities may apply